S a a (Ga,M

[illegible] $\Delta H(x)$ 0 [illegible] (3) [illegible]

(iii) [illegible] (111) [illegible]

$$(111) < (100) < (110) < (201). \qquad (3)$$

( ) [illegible] $\Delta H(x)$ [illegible]

$$\Delta H\ (x) / \ \Omega_1 x(1.\ \ x) + \Omega_2 x^2(1.\ \ x) + \Omega_3 x^3(1.\ \ x)\cdots \qquad (4)$$

[illegible] $\Omega_1 /\ 2\bullet 3$ [illegible], $\Omega_2 / .\ 3\bullet 0$ [illegible], $\Omega_3 /\ 23\bullet$ [illegible]

( ) [illegible] E [illegible] E [illegible])$_1$/([illegible]) [illegible] (100) [illegible] $x/\ 0.$,1 [illegible] / 1, 2, . . . , [illegible] $x/\ 1$ [illegible] $x/\ 0.$ [illegible] $\{J\}$), [illegible]

II. [illegible]ETHOD OF ESTABLISHING THE CL[illegible]STER E[illegible] PANSION

[illegible] [1] $\Delta\hat{H}$ [illegible] / ΔH [illegible] . E [illegible] $\Delta\hat{H}$,

$$\Delta\hat{H}\ /\ \Delta H\ .\ \ E\ \ /\ J_0 + (2x.\ \ 1)J_1 + \sum J\ D\ \Pi\ (\sigma)$$

$$+ \sum J\ D\ \Pi\ (\sigma). \qquad (\ )$$

[illegible] ([illegible]) [illegible] J [illegible] . D

$$\sum |\Delta\hat{H} \quad \Delta\hat{H}|^2 + \frac{}{\alpha}\sum J(\ )(\ \square^2)^{/2}J(\ )$$

$$\sum |\Delta\hat{H} \quad \Delta\hat{H}|^2 + \frac{}{2\alpha}\sum D\, J^2,$$

( )

[illegible] J [illegible] α [illegible] [1]

F [illegible] $\mathcal{O}(10^2)$ [illegible] [24] [illegible]

$$\sqrt{\frac{\sum_{\sigma=1} |\Delta \hat{H}(\sigma) - \Delta \hat{H}(\sigma)|^2}{}}, \quad (12)$$

0 2 , 1.34

4

1.•

4 × 4 × 4

0 2 ΔH / 2• .04 , ΔH / 2 .4

32 -14, $)_2$ (301)

0 2

0. 0.2

$\Delta H(\sigma)$,

$$\Delta H(x) = \langle \Delta H(\sigma) \rangle. \quad (13)$$

ΔH / 41.32 , ΔH / 40.04

x 0.

$)_1$/($)_3$ (100) (110) 3,). 3

ΔH / 22.33 , ΔH / 23.00

3 ΔH / 30.00 , ΔH / 32.04

2

C. T a a

(13).

x/ 0.

(4) Ω_1/ 2•3 , Ω_2/ 3•0 , Ω_3/ 23•

(4) 33

$$\Delta G(x) = \Omega_1 x(1-x) + \Omega_2 x^2(1-x) + \Omega_3 x^3(1-x) + [x(x) + (1-x)(1-x)], \quad (14)$$

where·

D. $T=0$ [illegible]

[illegible] 20 [illegible] $\approx 3\times 10$ [illegible]

E. S [illegible]

[illegible]

( )$_1$/( )

(

), (100) (111)

2.

(110) (201)

11. , ,

(1.)$_1$/( )

x/ 0. ,0.2 / 1, . . . , ,

(100), (111), (201).

(3) , ,

,

(0. 0.)$_1$/( )

2 (100) (111)

11 (201) .

(0. 0.2)$_1$/( )

.

F. E **a** **a** **a**

,

10 E . E

[illegible] $)_1/($[illegible]$)$, [illegible]

[illegible] 0. [illegible] 0 [illegible] $)_1/($[illegible]$)$ [illegible]

[illegible] 11 [illegible]

[illegible] 4 $_B$ [illegible] (100), (110),

(111) [illegible]

$($[illegible]$)_2($[illegible]$)_1$ [illegible] $($[illegible]$)_4($[illegible]$)_1$, [illegible]

[illegible] (201) [illegible]

(201) [illegible]

[illegible] 0.3

[illegible] 0 2 [illegible] 0 2 [illegible] 0 2 [illegible] 0 2 [illegible] -434. [illegible] -434. .1 [illegible] 3-434. 3-434. [illegible] 2

[illegible] 4 [illegible] 4 [illegible] -33 [illegible] - .1 2 -1.1 [illegible] / 1 [illegible] 1.040 0 [illegible] / 3 1 [illegible] 0.3 2 [illegible]

22 [illegible] 0 22 [illegible] 0. [illegible] +04 123 - .3 - 10 [illegible] 2 / 1 [illegible] * [illegible] 442 [illegible] 11 [illegible] 1.42 1 0 [illegible] 0 [illegible] / 3 1

(